

USA SWIMMING

MEASUREMENT CERTIFICATION OF PERMANENT RACING COURSE

City and State in which p	ool is located:
	perator:
	from above)
City, State, Zip:	
	(If you do not know your LSC <u>Click Here</u>)
	RELEVANT USA SWIMMING REGULATIONS
Rule 103.3.1.C	Dimensional Tolerance: Against the required length, a tolerance of plus (+) 0.03 meters (1 and 3/16ths of an inch) in a vertical plane extending 0.3 meters (12 inches) above and 0.8 meters (2 feet, 7 and 1/2 inches) below the surface of the water at all points of both end walls.
Rules 103.3.1.D	When automatic officiating equipment touch pads are used at one or both ends, the course shall be of such length that ensures the required distance between the two touch pads or between either pad and the opposite end of the course.
Rule 104.2.2.C (4) (a)	The exact length of the course, measured by a steel tape or other acceptable measuring device in feet and inches and fractions of an inch, or in meters and centimeters, must be attested to by an accredited surveyor or engineer.
Rule 104.2.2.C (4) (b)	A statement of the conditions under which the course was measured must be included.
Rule 104.2.2.C (4) (c)	Where a moveable bulkhead is used, course measurement of each lane must be confirmed at the conclusion of the session during which the time was achieved. Confirmation of length before sessions, and at the conclusion of the meet may be attested to by that person designated or approved by the Referee or meet committee, and such measurements shall be kept on file for twelve (12) months thereafter if a national or world record is claimed.

NOTE: If two or more racing courses are offered in the same pool (i.e., $50m \times 25y$), a separate form for each course must be filed.

MEASUREMENTS (ANSWER ALL QUESTIONS)

Check off each item below:		
This pool is: Long Course This pool is: indoors There are touch pads: one	outdoors	no touch pads
LANE 1 LANE 2 L YARDS METERS	ANE 3 LANE 4 LANE 5	LANE 6 LANE 7 LANE 8
	WATER DEPTH (IN FEE	ET)
At starting end:at turning	endat course ce	nter
In my opinion, the provisions of l previous page have been compile		3.1 and 104.2.2 as outlined on the h the following exceptions:
Measurements were made oncompetitive temperature conditionmm) in short course pool and at	ns and to an accuracy of a least 5.0mm in long course	t least .01 feet (1/8 inch or 3.00 e pool.
At the time of measurement, I wa	as not in the employ of the	e pool builder.
The following equipment was use	d for measurements:	
Print Name		
Signature		Check one:
Title/Degree:		Registered Surveyo
Address:		Registered Engineer
City, State, Zip:		License #
Telephone: ()		State

Mail this completed form to:

FACILITIES DEVELOPMENT DEPARTMENT USA SWIMMING 1 OLYMPIC PLAZA COLORADO SPRINGS, CO 80909-5770

To receive a confirmation of receipt and acceptance, please CLEARLY PRINT your name and email address below:

Name:		
E-mail address:	 	